

MINI

UP TO 75 lm/w
Light Where it Matters



IP20



Tiltable
Head



Low
Uncomfortable
Glare



Compact
Design



Changeable
Reflector



Crafted for modern spaces, this Mini brings clarity and comfort to every environment. With advanced optics that reduce glare, it ensures a pleasant visual experience. A perfect balance of efficiency, performance, and timeless design.

• APPLICATION



Residential Areas



Galleries and Museums



Hospitality Spaces



Reception Areas



Retail Stores



Offices and Meeting Rooms

• CHARACTERISTICS & SPECIFICATIONS TABLE

Technical Parameters

Input:	220-240VAC 50/60Hz
Power Factor:	>0.95
THD:	<15
Surge Protection Options (kV):	1KV (L-N), 2KV (L/N-PE)
Working Temp (ta):	-20°C to + 45°C
Electrical class:	Class II
Operating Humidity:	20-85% RH
Color Temperature:	

Features

Housing:	Aluminium I PC
Mounting:	Recessed Mounted
Optics:	Polycarbonate
Body Finish:	Electrostatic Polyester Powder-Coated
Body Color:	Available Colors: Black, Gray, White
Lifetime:	L70B50 > 100,000h L80B20 > 50,000h
LED Type:	SMD
Emergency Backup:	Optional
Dimming:	Optional
Switching Cycles:	>50,000 times
Flicker Free:	
Beam Direction:	25°
UGR:	<13

• PERFORMANCE



Model	Power	Efficiency	Lumen	Beam Angle	CRI	Source
NLC-MI	5W	75lm/W	375lm	15°, 24°, 36°	Standard: >90 Optional: >95	
	10W		750lm			
	15W		1125lm			
	20W		1500lm			
	30W		2250lm			
NLC-M2I	30W		2250lm			
NLC-M3I	30W		2250lm			

*Above values are calculated based on the product with CCT 4000K



*Values shown are subject to ±10% tolerance

• DRAWING



NLC-MI5W
L60 x W60 x H45mm
Cut size: 52x52mm





NLC-MI10W
L95 x W60 x H45mm
Cut size: 87x52mm



NLC-MI30W
L235 x W60 x H45mm
Cut size: 227x52mm




NLC-MI20W
L114 x W95 x H45mm
Cut size: 106x87mm




• DRAWING


NLC-M115W
L130 x W60 x H45mm
Cut size: 122x52mm



NLC-M2130W
L130 x W114 x H45mm
Cut size: 122x102mm




NLC-M3130W
L168 x W95 x H45mm
Cut size: 160x87mm



• REFLECTOR COLOR OPTIONS



Black



Silver






Gold



White

• LIGHT DISTRIBUTIONS CURVE



• CERTIFICATES



CB



RoHS



Street 77, Second Industrial City
P.O. Box 353, Dammam-3141



Tel: +966-(013) 812-2020
Fax: +966-(013) 812-2250



info@nlc.com.sa
www.nlc.com.sa